

Final Health Monitoring Report

DTU Veterinærinstituttet
 Building 205 B
 2800 Kongens Lyngby
 Kongens Lyngby

Order Number

Routine

Report Reference

22-3828

Samples Received

November 17, 2022

Report Date

November 30, 2022

Quantity	Sample Details	Species	Profile	Sample Type
1	2479 (3.1)	Mouse	375M (ENV)	Swab/Filter
1	2481 (1911)	Mouse	375M (ENV)	Swab/Filter
1	2482 (1.1)	Mouse	375M (ENV)	Swab/Filter
1	2483 (2.1)	Mouse	375M (ENV)	Swab/Filter
1	2486 (2.2)	Mouse	375M (ENV)	Swab/Filter
1	2484 Pooled (A)	Rat	143R (NSP)	Samples
1	2485 Pooled (B)	Rat	143R (NSP)	Samples

2479 (3.1) - 375M (ENV)

Sample negative for the agents tested

2481 (1911) - 375M (ENV)

Sample negative for the agents tested

2482 (1.1) - 375M (ENV)

Sample negative for the agents tested

2483 (2.1) - 375M (ENV)

Sample negative for the agents tested

2486 (2.2) - 375M (ENV)

Sample negative for the agents tested

2484 Pooled (A) - 143R (NSP)

Sample positive for *Pasteurella pneumotropica**

Sample positive for *Chilomastix spp*

Report Reference: 22-3828

All testing is performed by Envigo using standard operating procedures.
 Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

2485 Pooled (B) - 143R (NSP)

*Sample positive for Pasteurella pneumotropica**

Sample positive for Chilomastix spp

**Pasteurella pneumotropica positive result has been identified in Rodentibacter heylIIi biotype*

Report Reference: 22-3828

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2479		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	17.11.22	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	17.11.22	0/1	RT-PCR	0/3
Minute virus of mice	17.11.22	0/1	RT-PCR	0/5
Mouse adenovirus type 1 (MAd FL)	17.11.22	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	17.11.22	0/1	RT-PCR	0/3
Mouse hepatitis virus	17.11.22	0/1	RT-PCR	0/5
Mouse Norovirus	17.11.22	0/1	RT-PCR	0/5
Mouse parvovirus	17.11.22	0/1	RT-PCR	0/5
Mouse rotavirus (EDIM)	17.11.22	0/1	RT-PCR	0/5
Pneumonia virus of mice	17.11.22	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	17.11.22	0/1	RT-PCR	0/3
Sendai virus	17.11.22	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	17.11.22	0/1	RT-PCR	0/5
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	17.11.22	0/1	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group B</i>	17.11.22	0/1	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group C</i>	17.11.22	0/1	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group G</i>	17.11.22	0/1	RT-PCR	0/5
<i>Citrobacter rodentium</i>	17.11.22	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	17.11.22	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	17.11.22	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	17.11.22	0/1	RT-PCR	0/5
<i>Mycoplasma pulmonis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	17.11.22	0/1	RT-PCR	0/5
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	17.11.22	0/1	RT-PCR	0/5
<i>Salmonella</i> spp	17.11.22	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	17.11.22	0/1	RT-PCR	0/5
Ectoparasites				
Myobia/Radfordia	17.11.22	0/1	RT-PCR	0/5
Myocoptes musculinus	17.11.22	0/1	RT-PCR	0/5
Endoparasites				
Aspiculuris tetraptera	17.11.22	0/1	RT-PCR	0/5
Chilomastix spp	17.11.22	0/1	RT-PCR	0/5
Entamoeba muris	17.11.22	0/1	RT-PCR	0/5
Giardia muris	17.11.22	0/1	RT-PCR	0/5
Spironucleus muris	17.11.22	0/1	RT-PCR	0/5
Syphacia muris	17.11.22	0/1	RT-PCR	0/5
Syphacia obvelata	17.11.22	0/1	RT-PCR	0/5
Tritrichomonas muris	17.11.22	0/1	RT-PCR	0/5

Report Reference: 22-3828, Report Printed: November 30, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2481		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	17.11.22	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	17.11.22	0/1	RT-PCR	0/3
Minute virus of mice	17.11.22	0/1	RT-PCR	0/7
Mouse adenovirus type 1 (MAd FL)	17.11.22	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	17.11.22	0/1	RT-PCR	0/3
Mouse hepatitis virus	17.11.22	0/1	RT-PCR	0/7
Mouse Norovirus	17.11.22	0/1	RT-PCR	0/7
Mouse parvovirus	17.11.22	0/1	RT-PCR	0/7
Mouse rotavirus (EDIM)	17.11.22	0/1	RT-PCR	0/7
Pneumonia virus of mice	17.11.22	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	17.11.22	0/1	RT-PCR	0/3
Sendai virus	17.11.22	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	17.11.22	0/1	RT-PCR	0/7
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group B</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group C</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group G</i>	17.11.22	0/1	RT-PCR	0/7
<i>Citrobacter rodentium</i>	17.11.22	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	17.11.22	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	17.11.22	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	17.11.22	0/1	RT-PCR	0/7
<i>Mycoplasma pulmonis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	17.11.22	0/1	RT-PCR	0/7
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	17.11.22	0/1	RT-PCR	0/7
<i>Salmonella</i> spp	17.11.22	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	17.11.22	0/1	RT-PCR	0/7
Ectoparasites				
Myobia/Radfordia	17.11.22	0/1	RT-PCR	0/7
Mycoptes musculinus	17.11.22	0/1	RT-PCR	0/7
Endoparasites				
Aspiculuris tetraptera	17.11.22	0/1	RT-PCR	0/7
Chilomastix spp	17.11.22	0/1	RT-PCR	0/7
Entamoeba muris	17.11.22	0/1	RT-PCR	0/7
Giardia muris	17.11.22	0/1	RT-PCR	0/7
Spiroucleus muris	17.11.22	0/1	RT-PCR	0/7
Syphacia muris	17.11.22	0/1	RT-PCR	0/7
Syphacia obvelata	17.11.22	0/1	RT-PCR	0/7
Tritrichomonas muris	17.11.22	0/1	RT-PCR	0/7

Report Reference: 22-3828, Report Printed: November 30, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.



ENVIGO

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2482		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	17.11.22	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	17.11.22	0/1	RT-PCR	0/3
Minute virus of mice	17.11.22	0/1	RT-PCR	0/7
Mouse adenovirus type 1 (MAd FL)	17.11.22	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	17.11.22	0/1	RT-PCR	0/3
Mouse hepatitis virus	17.11.22	0/1	RT-PCR	0/7
Mouse Norovirus	17.11.22	0/1	RT-PCR	0/7
Mouse parvovirus	17.11.22	0/1	RT-PCR	0/7
Mouse rotavirus (EDIM)	17.11.22	0/1	RT-PCR	0/7
Pneumonia virus of mice	17.11.22	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	17.11.22	0/1	RT-PCR	0/3
Sendai virus	17.11.22	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	17.11.22	0/1	RT-PCR	0/7
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group B</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group C</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group G</i>	17.11.22	0/1	RT-PCR	0/7
<i>Citrobacter rodentium</i>	17.11.22	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	17.11.22	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	17.11.22	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	17.11.22	0/1	RT-PCR	0/7
<i>Mycoplasma pulmonis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	17.11.22	0/1	RT-PCR	0/7
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	17.11.22	0/1	RT-PCR	0/7
<i>Salmonella</i> spp	17.11.22	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	17.11.22	0/1	RT-PCR	0/7
Ectoparasites				
Myobia/Radfordia	17.11.22	0/1	RT-PCR	0/7
Myocoptes musculinus	17.11.22	0/1	RT-PCR	0/7
Endoparasites				
Aspiculuris tetraptera	17.11.22	0/1	RT-PCR	0/7
Chilomastix spp	17.11.22	0/1	RT-PCR	0/7
Entamoeba muris	17.11.22	0/1	RT-PCR	0/7
Giardia muris	17.11.22	0/1	RT-PCR	0/7
Spironucleus muris	17.11.22	0/1	RT-PCR	0/7
Syphacia muris	17.11.22	0/1	RT-PCR	0/7
Syphacia obvelata	17.11.22	0/1	RT-PCR	0/7
Tritrichomonas muris	17.11.22	0/1	RT-PCR	0/7

Report Reference: 22-3828, Report Printed: November 30, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2483		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	17.11.22	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	17.11.22	0/1	RT-PCR	0/3
Minute virus of mice	17.11.22	0/1	RT-PCR	0/7
Mouse adenovirus type 1 (MAd FL)	17.11.22	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	17.11.22	0/1	RT-PCR	0/3
Mouse hepatitis virus	17.11.22	0/1	RT-PCR	0/7
Mouse Norovirus	17.11.22	0/1	RT-PCR	0/7
Mouse parvovirus	17.11.22	0/1	RT-PCR	0/7
Mouse rotavirus (EDIM)	17.11.22	0/1	RT-PCR	0/7
Pneumonia virus of mice	17.11.22	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	17.11.22	0/1	RT-PCR	0/3
Sendai virus	17.11.22	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	17.11.22	0/1	RT-PCR	0/7
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group B</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group C</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group G</i>	17.11.22	0/1	RT-PCR	0/7
<i>Citrobacter rodentium</i>	17.11.22	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	17.11.22	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	17.11.22	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	17.11.22	0/1	RT-PCR	0/7
<i>Mycoplasma pulmonis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	17.11.22	0/1	RT-PCR	0/7
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	17.11.22	0/1	RT-PCR	0/7
<i>Salmonella</i> spp	17.11.22	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	17.11.22	0/1	RT-PCR	0/7
Ectoparasites				
Myobia/Radfordia	17.11.22	0/1	RT-PCR	0/7
Myocoptes musculinus	17.11.22	0/1	RT-PCR	0/7
Endoparasites				
Aspiculuris tetraptera	17.11.22	0/1	RT-PCR	0/7
Chilomastix spp	17.11.22	0/1	RT-PCR	0/7
Entamoeba muris	17.11.22	0/1	RT-PCR	0/7
Giardia muris	17.11.22	0/1	RT-PCR	0/7
Spiroplasma muris	17.11.22	0/1	RT-PCR	0/7
Syphacia muris	17.11.22	0/1	RT-PCR	0/7
Syphacia obvelata	17.11.22	0/1	RT-PCR	0/7
Tritrichomonas muris	17.11.22	0/1	RT-PCR	0/7

Report Reference: 22-3828, Report Printed: November 30, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.



ENVIGO

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2486		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	17.11.22	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	17.11.22	0/1	RT-PCR	0/3
Minute virus of mice	17.11.22	0/1	RT-PCR	0/7
Mouse adenovirus type 1 (MAd FL)	17.11.22	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	17.11.22	0/1	RT-PCR	0/3
Mouse hepatitis virus	17.11.22	0/1	RT-PCR	0/7
Mouse Norovirus	17.11.22	0/1	RT-PCR	0/7
Mouse parvovirus	17.11.22	0/1	RT-PCR	0/7
Mouse rotavirus (EDIM)	17.11.22	0/1	RT-PCR	0/7
Pneumonia virus of mice	17.11.22	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	17.11.22	0/1	RT-PCR	0/3
Sendai virus	17.11.22	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	17.11.22	0/1	RT-PCR	0/7
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group B</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group C</i>	17.11.22	0/1	RT-PCR	0/7
<i>Beta-haemolytic Streptococci Group G</i>	17.11.22	0/1	RT-PCR	0/7
<i>Citrobacter rodentium</i>	17.11.22	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	17.11.22	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	17.11.22	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	17.11.22	0/1	RT-PCR	0/7
<i>Mycoplasma pulmonis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	17.11.22	0/1	RT-PCR	0/7
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	17.11.22	0/1	RT-PCR	0/7
<i>Salmonella</i> spp	17.11.22	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	17.11.22	0/1	RT-PCR	0/7
Ectoparasites				
Myobia/Radfordia	17.11.22	0/1	RT-PCR	0/7
Mycoptes musculus	17.11.22	0/1	RT-PCR	0/7
Endoparasites				
Aspiculuris tetraptera	17.11.22	0/1	RT-PCR	0/7
Chilomastix spp	17.11.22	0/1	RT-PCR	0/7
Entamoeba muris	17.11.22	0/1	RT-PCR	0/7
Giardia muris	17.11.22	0/1	RT-PCR	0/7
Spiroplasma muris	17.11.22	0/1	RT-PCR	0/7
Syphacia muris	17.11.22	0/1	RT-PCR	0/7
Syphacia obvelata	17.11.22	0/1	RT-PCR	0/7
Tritrichomonas muris	17.11.22	0/1	RT-PCR	0/7

Report Reference: 22-3828, Report Printed: November 30, 2022, Barrier Populated: February 08, 2021

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2484		Rat	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	17.11.22	0/1	RT-PCR	0/3
Kilham rat virus	17.11.22	0/1	RT-PCR	0/5
Mouse adenovirus type 1 (MAd FL)	17.11.22	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	17.11.22	0/1	RT-PCR	0/3
Pneumonia virus of mice	17.11.22	0/1	RT-PCR	0/5
Rat minute virus	17.11.22	0/1	RT-PCR	0/5
Rat parvovirus	17.11.22	0/1	RT-PCR	0/5
Rat Theilovirus (RTV)	17.11.22	0/1	RT-PCR	0/5
Reovirus type 3 (Reo 3)	17.11.22	0/1	RT-PCR	0/3
Sendai virus	17.11.22	0/1	RT-PCR	0/3
Sialodacryoadenitis virus	17.11.22	0/1	RT-PCR	0/5
Toolan's H-1	17.11.22	0/1	RT-PCR	0/5
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	17.11.22	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	17.11.22	0/1	RT-PCR	0/5
<i>Helicobacter</i> spp	17.11.22	0/1	RT-PCR	0/5
<i>Mycoplasma pulmonis</i>	17.11.22	0/1	RT-PCR	0/5
<i>Pasteurella pneumotropica</i>	17.11.22	1/1	RT-PCR	5/5
<i>Pneumocystis carinii</i>	17.11.22	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	17.11.22	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group A</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococci Beta-haemolytic Group B</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococci Beta-haemolytic Group C</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococci Beta-haemolytic Group G</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococcus pneumoniae</i>	17.11.22	0/1	RT-PCR	0/5
Ectoparasites				
Myobia/Radfordia	17.11.22	0/1	RT-PCR	0/5
Mycoptes musculus	17.11.22	0/1	RT-PCR	0/5
Endoparasites				
Aspiculuris tetraptera	17.11.22	0/1	RT-PCR	0/5
Chilomastix spp	17.11.22	1/1	RT-PCR	3/5
Entamoeba muris	17.11.22	0/1	RT-PCR	0/5
Giardia muris	17.11.22	0/1	RT-PCR	0/5
Spironucleus muris	17.11.22	0/1	RT-PCR	0/5
Syphacia muris	17.11.22	0/1	RT-PCR	0/5
Syphacia obvelata	17.11.22	0/1	RT-PCR	0/5
Tritrichomonas muris	17.11.22	0/1	RT-PCR	0/5

Report Reference: 22-3828, Report Printed: November 30, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2485		Rat	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	17.11.22	0/1	RT-PCR	0/3
Kilham rat virus	17.11.22	0/1	RT-PCR	0/5
Mouse adenovirus type 1 (MAd FL)	17.11.22	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	17.11.22	0/1	RT-PCR	0/3
Pneumonia virus of mice	17.11.22	0/1	RT-PCR	0/5
Rat minute virus	17.11.22	0/1	RT-PCR	0/5
Rat parvovirus	17.11.22	0/1	RT-PCR	0/5
Rat Theilovirus (RTV)	17.11.22	0/1	RT-PCR	0/5
Reovirus type 3 (Reo 3)	17.11.22	0/1	RT-PCR	0/3
Sendai virus	17.11.22	0/1	RT-PCR	0/3
Sialodacryoadenitis virus	17.11.22	0/1	RT-PCR	0/5
Toolan's H-1	17.11.22	0/1	RT-PCR	0/5
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	17.11.22	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	17.11.22	0/1	RT-PCR	0/5
<i>Helicobacter</i> spp	17.11.22	0/1	RT-PCR	0/5
<i>Mycoplasma pulmonis</i>	17.11.22	0/1	RT-PCR	0/5
<i>Pasteurella pneumotropica</i>	17.11.22	1/1	RT-PCR	5/5
<i>Pneumocystis carinii</i>	17.11.22	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	17.11.22	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	17.11.22	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group A</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococci Beta-haemolytic Group B</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococci Beta-haemolytic Group C</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococci Beta-haemolytic Group G</i>	17.11.22	0/1	RT-PCR	0/5
<i>Streptococcus pneumoniae</i>	17.11.22	0/1	RT-PCR	0/5
Ectoparasites				
Myobia/Radfordia	17.11.22	0/1	RT-PCR	0/5
Mycoptes musculus	17.11.22	0/1	RT-PCR	0/5
Endoparasites				
Aspiculuris tetraptera	17.11.22	0/1	RT-PCR	0/5
Chilomastix spp	17.11.22	1/1	RT-PCR	3/5
Entamoeba muris	17.11.22	0/1	RT-PCR	0/5
Giardia muris	17.11.22	0/1	RT-PCR	0/5
Spironucleus muris	17.11.22	0/1	RT-PCR	0/5
Syphacia muris	17.11.22	0/1	RT-PCR	0/5
Syphacia obvelata	17.11.22	0/1	RT-PCR	0/5
Tritrichomonas muris	17.11.22	0/1	RT-PCR	0/5

Report Reference: 22-3828, Report Printed: November 30, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.