

Final Health Monitoring Report



DTU Veterinærinstituttet
Building 205 B
2800 Kongens Lyngby
Kongens Lyngby

Order Number

Not supplied

Report Reference

21-4149

Samples Received

February 18, 2021

Report Date

February 23, 2021

Quantity	Sample Details	Species	Profile	Sample Type
1	Room 1 n°1	Mouse	375M (ENV)	Swab/Filter
1	Room 1911 n°1	Mouse	375M (ENV)	Swab/Filter
1	Room 1913 n°1	Mouse	375M (ENV)	Swab/Filter
1	Room 2 n°1	Mouse	375M (ENV)	Swab/Filter
1	Room 2 n°2	Mouse	375M (ENV)	Swab/Filter
1	Room 3 n°1	Mouse	375M (ENV)	Swab/Filter
1	Room 3 n°2	Mouse	375M (ENV)	Swab/Filter
1	2484+2485	Rat	143R (NSP)	Samples

Room 1 n°1 - 375M (ENV)

Sample negative for the agents tested

Room 1911 n°1 - 375M (ENV)

Sample negative for the agents tested

Room 1913 n°1 - 375M (ENV)

Sample negative for the agents tested

Room 2 n°1 - 375M (ENV)

Sample negative for the agents tested

Room 2 n°2 - 375M (ENV)

Sample negative for the agents tested

Room 3 n°1 - 375M (ENV)

Sample negative for the agents tested

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures.
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Room 3 n°2 - 375M (ENV)

Sample negative for the agents tested

2484+2485 - 143R (NSP)

Sample positive for *Pasteurella pneumotropica**

**Pasteurella pneumotropica positive result has been identified in Rodentibacter heylii biotype*

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures.
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Mouse	DTU Veterinærinstituttet	Room 1 n°1	375M (ENV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	RT-PCR
Lymphocytic choriomeningitis virus	0/1	RT-PCR
Minute virus of mice	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Mouse hepatitis virus	0/1	RT-PCR
Mouse Norovirus	0/1	RT-PCR
Mouse parvovirus	0/1	RT-PCR
Mouse rotavirus (EDIM)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Theiler's murine encephalomyelitis virus	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Beta-haemolytic Streptococci Group A</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group B</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group C</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group G</i>	0/1	RT-PCR
<i>Citrobacter rodentium</i>	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Corynebacterium kutscheri</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella pneumotropica</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spiroplasma muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Mouse	DTU Veterinærinstituttet	Room 1911 n°1	375M (ENV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	RT-PCR
Lymphocytic choriomeningitis virus	0/1	RT-PCR
Minute virus of mice	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Mouse hepatitis virus	0/1	RT-PCR
Mouse Norovirus	0/1	RT-PCR
Mouse parvovirus	0/1	RT-PCR
Mouse rotavirus (EDIM)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Theiler's murine encephalomyelitis virus	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Beta-haemolytic Streptococci Group A</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group B</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group C</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group G</i>	0/1	RT-PCR
<i>Citrobacter rodentium</i>	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Corynebacterium kutscheri</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella pneumotropica</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spiroplasma muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Mouse	DTU Veterinærinstituttet	Room 1913 n°1	375M (ENV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	RT-PCR
Lymphocytic choriomeningitis virus	0/1	RT-PCR
Minute virus of mice	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Mouse hepatitis virus	0/1	RT-PCR
Mouse Norovirus	0/1	RT-PCR
Mouse parvovirus	0/1	RT-PCR
Mouse rotavirus (EDIM)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Theiler's murine encephalomyelitis virus	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Beta-haemolytic Streptococci Group A</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group B</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group C</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group G</i>	0/1	RT-PCR
<i>Citrobacter rodentium</i>	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Corynebacterium kutscheri</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella pneumotropica</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spiroplasma muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Mouse	DTU Veterinærinstituttet	Room 2 n°1	375M (ENV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	RT-PCR
Lymphocytic choriomeningitis virus	0/1	RT-PCR
Minute virus of mice	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Mouse hepatitis virus	0/1	RT-PCR
Mouse Norovirus	0/1	RT-PCR
Mouse parvovirus	0/1	RT-PCR
Mouse rotavirus (EDIM)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Theiler's murine encephalomyelitis virus	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Beta-haemolytic Streptococci Group A</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group B</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group C</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group G</i>	0/1	RT-PCR
<i>Citrobacter rodentium</i>	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Corynebacterium kutscheri</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella pneumotropica</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spiroplasma muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Mouse	DTU Veterinærinstituttet	Room 2 n°2	375M (ENV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	RT-PCR
Lymphocytic choriomeningitis virus	0/1	RT-PCR
Minute virus of mice	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Mouse hepatitis virus	0/1	RT-PCR
Mouse Norovirus	0/1	RT-PCR
Mouse parvovirus	0/1	RT-PCR
Mouse rotavirus (EDIM)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Theiler's murine encephalomyelitis virus	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Beta-haemolytic Streptococci Group A</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group B</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group C</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group G</i>	0/1	RT-PCR
<i>Citrobacter rodentium</i>	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Corynebacterium kutscheri</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella pneumotropica</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spironucleus muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Mouse	DTU Veterinærinstituttet	Room 3 n°1	375M (ENV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	RT-PCR
Lymphocytic choriomeningitis virus	0/1	RT-PCR
Minute virus of mice	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Mouse hepatitis virus	0/1	RT-PCR
Mouse Norovirus	0/1	RT-PCR
Mouse parvovirus	0/1	RT-PCR
Mouse rotavirus (EDIM)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Theiler's murine encephalomyelitis virus	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Beta-haemolytic Streptococci Group A</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group B</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group C</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group G</i>	0/1	RT-PCR
<i>Citrobacter rodentium</i>	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Corynebacterium kutscheri</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella pneumotropica</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spironucleus muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Mouse	DTU Veterinærinstituttet	Room 3 n°2	375M (ENV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	RT-PCR
Lymphocytic choriomeningitis virus	0/1	RT-PCR
Minute virus of mice	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Mouse hepatitis virus	0/1	RT-PCR
Mouse Norovirus	0/1	RT-PCR
Mouse parvovirus	0/1	RT-PCR
Mouse rotavirus (EDIM)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Theiler's murine encephalomyelitis virus	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Beta-haemolytic Streptococci Group A</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group B</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group C</i>	0/1	RT-PCR
<i>Beta-haemolytic Streptococci Group G</i>	0/1	RT-PCR
<i>Citrobacter rodentium</i>	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Corynebacterium kutscheri</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella pneumotropica</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spiroplasma muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
18 Feb 2021	Rat	DTU Veterinærinstituttet	2484+2485	143R (NSP)

Viruses	Positive/Tested	Test Method
Hantavirus	0/1	RT-PCR
Kilham rat virus	0/1	RT-PCR
Mouse adenovirus type 1 (MAd FL)	0/1	RT-PCR
Mouse adenovirus type 2 (MAd K87)	0/1	RT-PCR
Pneumonia virus of mice	0/1	RT-PCR
Rat minute virus	0/1	RT-PCR
Rat parvovirus	0/1	RT-PCR
Rat Theilovirus (RTV)	0/1	RT-PCR
Reovirus type 3 (Reo 3)	0/1	RT-PCR
Sendai virus	0/1	RT-PCR
Sialodacryoadenitis virus	0/1	RT-PCR
Toolan's H-1	0/1	RT-PCR

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
CAR Bacillus	0/1	RT-PCR
<i>Clostridium piliforme</i>	0/1	RT-PCR
<i>Helicobacter spp</i>	0/1	RT-PCR
<i>Mycoplasma pulmonis</i>	0/1	RT-PCR
<i>Pasteurella spp</i>	1/1	RT-PCR
<i>Pasteurella pneumotropica</i>	1/1	RT-PCR
<i>Pneumocystis carinii</i>	0/1	RT-PCR
<i>Salmonella spp</i>	0/1	RT-PCR
<i>Streptobacillus moniliformis</i>	0/1	RT-PCR
<i>Streptococci Beta-haemolytic Group A</i>	0/1	RT-PCR
<i>Streptococci Beta-haemolytic Group B</i>	0/1	RT-PCR
<i>Streptococci Beta-haemolytic Group C</i>	0/1	RT-PCR
<i>Streptococci Beta-haemolytic Group G</i>	0/1	RT-PCR
<i>Streptococcus pneumoniae</i>	0/1	RT-PCR

Ectoparasites	Positive/Tested	Test Method
Myobia/Radfordia	0/1	RT-PCR
Myocoptes musculus	0/1	RT-PCR

Endoparasites	Positive/Tested	Test Method
Aspicularis tetraptera	0/1	RT-PCR
Chilomastix spp	0/1	RT-PCR
Entamoeba muris	0/1	RT-PCR
Giardia muris	0/1	RT-PCR
Spiroplasma muris	0/1	RT-PCR
Syphacia muris	0/1	RT-PCR
Syphacia obvelata	0/1	RT-PCR
Tritrichomonas muris	0/1	RT-PCR

Report Reference: 21-4149

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.