

# Final Health Monitoring Report

DTU Veterinærinstituttet  
 Building 205 B  
 2800 Kongens Lyngby  
 Kongens Lyngby

### Order Number

Routine

### Report Reference

21-5383

### Samples Received

May 19, 2021

### Report Date

May 21, 2021

Quantity	Sample Details	Species	Profile	Sample Type
1	2479 Raum 1909B	Mouse	375M (ENV)	Swab/Filter
1	2480 Raum 1901,2.1	Mouse	375M (ENV)	Swab/Filter
1	2481 Raum 1901,2.2	Mouse	375M (ENV)	Swab/Filter
1	2482 Raum 1907,3.1	Mouse	375M (ENV)	Swab/Filter
1	2483 Raum 1907,3.2	Mouse	375M (ENV)	Swab/Filter
1	2486 Raum 1911	Mouse	375M (ENV)	Swab/Filter
1	2487 Raum 1913	Mouse	375M (ENV)	Swab/Filter
1	2484 RAT A	Rat	143R (NSP)	Samples
1	2485 RAT B	Rat	143R (NSP)	Samples

#### 2479 Raum 1909B - 375M (ENV)

Sample negative for the agents tested

#### 2480 Raum 1901,2.1 - 375M (ENV)

Sample negative for the agents tested

#### 2481 Raum 1901,2.2 - 375M (ENV)

Sample negative for the agents tested

#### 2482 Raum 1907,3.1 - 375M (ENV)

Sample negative for the agents tested

#### 2483 Raum 1907,3.2 - 375M (ENV)

Sample negative for the agents tested

### Report Reference: 21-5383

All testing is performed by Envigo using standard operating procedures.  
 Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report

2486 Raum 1911 - 375M (ENV)

Sample negative for the agents tested

2487 Raum 1913 - 375M (ENV)

Sample negative for the agents tested

2484 RAT A - 143R (NSP)

Sample positive for *Pasteurella pneumotropica*\*

2485 RAT B - 143R (NSP)

Sample positive for *Pasteurella pneumotropica*\*

*\*Pasteurella pneumotropica positive result has been identified in Rodentibacter heyltii biotype*

**Report Reference: 21-5383**

All testing is performed by Envigo using standard operating procedures.  
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2479	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	19.05.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	19.05.21	0/1	RT-PCR	0/3
Minute virus of mice	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	19.05.21	0/1	RT-PCR	0/3
Mouse Norovirus	19.05.21	0/1	RT-PCR	0/3
Mouse parvovirus	19.05.21	0/1	RT-PCR	0/3
Mouse rotavirus (EDIM)	19.05.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/3
Sendai virus	19.05.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	19.05.21	0/1	RT-PCR	0/3
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group B</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group C</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group G</i>	19.05.21	0/1	RT-PCR	0/3
<i>Citrobacter rodentium</i>	19.05.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	19.05.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	19.05.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/3
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/3
Mycopites musculus	19.05.21	0/1	RT-PCR	0/3
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/3
Chilomastix spp	19.05.21	0/1	RT-PCR	0/3
Entamoeba muris	19.05.21	0/1	RT-PCR	0/3
Giardia muris	19.05.21	0/1	RT-PCR	0/3
Spiroplasma muris	19.05.21	0/1	RT-PCR	0/3
Syphacia muris	19.05.21	0/1	RT-PCR	0/3
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/3
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/3

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2480	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	19.05.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	19.05.21	0/1	RT-PCR	0/3
Minute virus of mice	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	19.05.21	0/1	RT-PCR	0/3
Mouse Norovirus	19.05.21	0/1	RT-PCR	0/3
Mouse parvovirus	19.05.21	0/1	RT-PCR	0/3
Mouse rotavirus (EDIM)	19.05.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/3
Sendai virus	19.05.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	19.05.21	0/1	RT-PCR	0/3
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group B</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group C</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group G</i>	19.05.21	0/1	RT-PCR	0/3
<i>Citrobacter rodentium</i>	19.05.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	19.05.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	19.05.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/3
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/3
Mycopites musculus	19.05.21	0/1	RT-PCR	0/3
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/3
Chilomastix spp	19.05.21	0/1	RT-PCR	0/3
Entamoeba muris	19.05.21	0/1	RT-PCR	0/3
Giardia muris	19.05.21	0/1	RT-PCR	0/3
Spiroplasma muris	19.05.21	0/1	RT-PCR	0/3
Syphacia muris	19.05.21	0/1	RT-PCR	0/3
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/3
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/3

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2481	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	19.05.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	19.05.21	0/1	RT-PCR	0/3
Minute virus of mice	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	19.05.21	0/1	RT-PCR	0/3
Mouse Norovirus	19.05.21	0/1	RT-PCR	0/3
Mouse parvovirus	19.05.21	0/1	RT-PCR	0/3
Mouse rotavirus (EDIM)	19.05.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/3
Sendai virus	19.05.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	19.05.21	0/1	RT-PCR	0/3
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group B</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group C</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group G</i>	19.05.21	0/1	RT-PCR	0/3
<i>Citrobacter rodentium</i>	19.05.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	19.05.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	19.05.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/3
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/3
Mycopites musculus	19.05.21	0/1	RT-PCR	0/3
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/3
Chilomastix spp	19.05.21	0/1	RT-PCR	0/3
Entamoeba muris	19.05.21	0/1	RT-PCR	0/3
Giardia muris	19.05.21	0/1	RT-PCR	0/3
Spiroplasma muris	19.05.21	0/1	RT-PCR	0/3
Syphacia muris	19.05.21	0/1	RT-PCR	0/3
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/3
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/3

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2482	Mouse	Latest Test Date	Latest Results
Viruses	Test Method	Historical Results*		
Ectromelia virus	RT-PCR	0/3	19.05.21	0/1
Lymphocytic choriomeningitis virus	RT-PCR	0/3	19.05.21	0/1
Minute virus of mice	RT-PCR	0/3	19.05.21	0/1
Mouse adenovirus type 1 (MAd FL)	RT-PCR	0/3	19.05.21	0/1
Mouse adenovirus type 2 (MAd K87)	RT-PCR	0/3	19.05.21	0/1
Mouse hepatitis virus	RT-PCR	0/3	19.05.21	0/1
Mouse Norovirus	RT-PCR	0/3	19.05.21	0/1
Mouse parvovirus	RT-PCR	0/3	19.05.21	0/1
Mouse rotavirus (EDIM)	RT-PCR	0/3	19.05.21	0/1
Pneumonia virus of mice	RT-PCR	0/3	19.05.21	0/1
Reovirus type 3 (Reo 3)	RT-PCR	0/3	19.05.21	0/1
Sendai virus	RT-PCR	0/3	19.05.21	0/1
Theiler's murine encephalomyelitis virus	RT-PCR	0/3	19.05.21	0/1
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	RT-PCR	0/3	19.05.21	0/1
<i>Beta-haemolytic Streptococci Group B</i>	RT-PCR	0/3	19.05.21	0/1
<i>Beta-haemolytic Streptococci Group C</i>	RT-PCR	0/3	19.05.21	0/1
<i>Beta-haemolytic Streptococci Group G</i>	RT-PCR	0/3	19.05.21	0/1
<i>Citrobacter rodentium</i>	RT-PCR	0/3	19.05.21	0/1
<i>Clostridium piliforme</i>	RT-PCR	0/3	19.05.21	0/1
<i>Corynebacterium kutscheri</i>	RT-PCR	0/3	19.05.21	0/1
<i>Helicobacter</i> spp	RT-PCR	0/3	19.05.21	0/1
<i>Mycoplasma pulmonis</i>	RT-PCR	0/3	19.05.21	0/1
<i>Pasteurella pneumotropica</i>	RT-PCR	0/3	19.05.21	0/1
<i>Pasteurella pneumotropica</i> (Jawetz & Heyl)	RT-PCR	0/3	19.05.21	0/1
<i>Salmonella</i> spp	RT-PCR	0/3	19.05.21	0/1
<i>Streptobacillus moniliformis</i>	RT-PCR	0/3	19.05.21	0/1
<i>Streptococcus pneumoniae</i>	RT-PCR	0/3	19.05.21	0/1
Ectoparasites				
Myobia/Radfordia	RT-PCR	0/3	19.05.21	0/1
Mycopites musculus	RT-PCR	0/3	19.05.21	0/1
Endoparasites				
Aspiculuris tetraptera	RT-PCR	0/3	19.05.21	0/1
Chilomastix spp	RT-PCR	0/3	19.05.21	0/1
Entamoeba muris	RT-PCR	0/3	19.05.21	0/1
Giardia muris	RT-PCR	0/3	19.05.21	0/1
Spiroplasma muris	RT-PCR	0/3	19.05.21	0/1
Syphacia muris	RT-PCR	0/3	19.05.21	0/1
Syphacia obvelata	RT-PCR	0/3	19.05.21	0/1
Tritrichomonas muris	RT-PCR	0/3	19.05.21	0/1

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)



ENVIGO

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-family: sans-serif;">instituttet</span>	2483	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	19.05.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	19.05.21	0/1	RT-PCR	0/3
Minute virus of mice	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	19.05.21	0/1	RT-PCR	0/3
Mouse Norovirus	19.05.21	0/1	RT-PCR	0/3
Mouse parvovirus	19.05.21	0/1	RT-PCR	0/3
Mouse rotavirus (EDIM)	19.05.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/3
Sendai virus	19.05.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	19.05.21	0/1	RT-PCR	0/3
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group B</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group C</i>	19.05.21	0/1	RT-PCR	0/3
<i>Beta-haemolytic Streptococci Group G</i>	19.05.21	0/1	RT-PCR	0/3
<i>Citrobacter rodentium</i>	19.05.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	19.05.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	19.05.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/3
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/3
Mycopetes musculus	19.05.21	0/1	RT-PCR	0/3
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/3
Chilomastix spp	19.05.21	0/1	RT-PCR	0/3
Entamoeba muris	19.05.21	0/1	RT-PCR	0/3
Giardia muris	19.05.21	0/1	RT-PCR	0/3
Spiroplasma muris	19.05.21	0/1	RT-PCR	0/3
Syphacia muris	19.05.21	0/1	RT-PCR	0/3
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/3
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/3

Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com



# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2486	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	19.05.21	0/1	RT-PCR	0/1
Lymphocytic choriomeningitis virus	19.05.21	0/1	RT-PCR	0/1
Minute virus of mice	19.05.21	0/1	RT-PCR	0/1
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/1
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/1
Mouse hepatitis virus	19.05.21	0/1	RT-PCR	0/1
Mouse Norovirus	19.05.21	0/1	RT-PCR	0/1
Mouse parvovirus	19.05.21	0/1	RT-PCR	0/1
Mouse rotavirus (EDIM)	19.05.21	0/1	RT-PCR	0/1
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/1
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/1
Sendai virus	19.05.21	0/1	RT-PCR	0/1
Theiler's murine encephalomyelitis virus	19.05.21	0/1	RT-PCR	0/1
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	19.05.21	0/1	RT-PCR	0/1
<i>Beta-haemolytic Streptococci Group B</i>	19.05.21	0/1	RT-PCR	0/1
<i>Beta-haemolytic Streptococci Group C</i>	19.05.21	0/1	RT-PCR	0/1
<i>Beta-haemolytic Streptococci Group G</i>	19.05.21	0/1	RT-PCR	0/1
<i>Citrobacter rodentium</i>	19.05.21	0/1	RT-PCR	0/1
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/1
<i>Corynebacterium kutscheri</i>	19.05.21	0/1	RT-PCR	0/1
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/1
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/1
<i>Pasteurella pneumotropica</i>	19.05.21	0/1	RT-PCR	0/1
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	19.05.21	0/1	RT-PCR	0/1
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/1
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/1
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/1
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/1
Mycopetes musculus	19.05.21	0/1	RT-PCR	0/1
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/1
Chilomastix spp	19.05.21	0/1	RT-PCR	0/1
Entamoeba muris	19.05.21	0/1	RT-PCR	0/1
Giardia muris	19.05.21	0/1	RT-PCR	0/1
Spiroplasma muris	19.05.21	0/1	RT-PCR	0/1
Syphacia muris	19.05.21	0/1	RT-PCR	0/1
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/1
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/1

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: February 08, 2021**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.





ENVIGO

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2487	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	19.05.21	0/1	RT-PCR	0/1
Lymphocytic choriomeningitis virus	19.05.21	0/1	RT-PCR	0/1
Minute virus of mice	19.05.21	0/1	RT-PCR	0/1
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/1
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/1
Mouse hepatitis virus	19.05.21	0/1	RT-PCR	0/1
Mouse Norovirus	19.05.21	0/1	RT-PCR	0/1
Mouse parvovirus	19.05.21	0/1	RT-PCR	0/1
Mouse rotavirus (EDIM)	19.05.21	0/1	RT-PCR	0/1
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/1
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/1
Sendai virus	19.05.21	0/1	RT-PCR	0/1
Theiler's murine encephalomyelitis virus	19.05.21	0/1	RT-PCR	0/1
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	19.05.21	0/1	RT-PCR	0/1
<i>Beta-haemolytic Streptococci Group B</i>	19.05.21	0/1	RT-PCR	0/1
<i>Beta-haemolytic Streptococci Group C</i>	19.05.21	0/1	RT-PCR	0/1
<i>Beta-haemolytic Streptococci Group G</i>	19.05.21	0/1	RT-PCR	0/1
<i>Citrobacter rodentium</i>	19.05.21	0/1	RT-PCR	0/1
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/1
<i>Corynebacterium kutscheri</i>	19.05.21	0/1	RT-PCR	0/1
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/1
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/1
<i>Pasteurella pneumotropica</i>	19.05.21	0/1	RT-PCR	0/1
<i>Pasteurella pneumotropica</i> (Jawetz & Heyl)	19.05.21	0/1	RT-PCR	0/1
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/1
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/1
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/1
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/1
Mycopites musculus	19.05.21	0/1	RT-PCR	0/1
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/1
Chilomastix spp	19.05.21	0/1	RT-PCR	0/1
Entamoeba muris	19.05.21	0/1	RT-PCR	0/1
Giardia muris	19.05.21	0/1	RT-PCR	0/1
Spiroplasma muris	19.05.21	0/1	RT-PCR	0/1
Syphacia muris	19.05.21	0/1	RT-PCR	0/1
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/1
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/1

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: February 08, 2021**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2484	Rat		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	19.05.21	0/1	RT-PCR	0/3
Kilham rat virus	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/3
Rat minute virus	19.05.21	0/1	RT-PCR	0/3
Rat parvovirus	19.05.21	0/1	RT-PCR	0/3
Rat Theilovirus (RTV)	19.05.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/3
Sendai virus	19.05.21	0/1	RT-PCR	0/3
Sialodacryoadenitis virus	19.05.21	0/1	RT-PCR	0/3
Toolan's H-1	19.05.21	0/1	RT-PCR	0/3
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	19.05.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	19.05.21	1/1	RT-PCR	3/3
<i>Pneumocystis carinii</i>	19.05.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group A</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group B</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group C</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group G</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/3
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/3
Mycoptes musculus	19.05.21	0/1	RT-PCR	0/3
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/3
Chilomastix spp	19.05.21	0/1	RT-PCR	0/3
Entamoeba muris	19.05.21	0/1	RT-PCR	0/3
Giardia muris	19.05.21	0/1	RT-PCR	0/3
Spironucleus muris	19.05.21	0/1	RT-PCR	0/3
Syphacia muris	19.05.21	0/1	RT-PCR	0/3
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/3
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/3

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterin <span style="font-size: 0.8em;">instituttet</span>	2485	Rat		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	19.05.21	0/1	RT-PCR	0/3
Kilham rat virus	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 1 (MAd FL)	19.05.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	19.05.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	19.05.21	0/1	RT-PCR	0/3
Rat minute virus	19.05.21	0/1	RT-PCR	0/3
Rat parvovirus	19.05.21	0/1	RT-PCR	0/3
Rat Theilovirus (RTV)	19.05.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	19.05.21	0/1	RT-PCR	0/3
Sendai virus	19.05.21	0/1	RT-PCR	0/3
Sialodacryoadenitis virus	19.05.21	0/1	RT-PCR	0/3
Toolan's H-1	19.05.21	0/1	RT-PCR	0/3
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	19.05.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	19.05.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Mycoplasma pulmonis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	19.05.21	1/1	RT-PCR	3/3
<i>Pneumocystis carinii</i>	19.05.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	19.05.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group A</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group B</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group C</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group G</i>	19.05.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	19.05.21	0/1	RT-PCR	0/3
Ectoparasites				
Myobia/Radfordia	19.05.21	0/1	RT-PCR	0/3
Mycoptes musculus	19.05.21	0/1	RT-PCR	0/3
Endoparasites				
Aspiculuris tetraptera	19.05.21	0/1	RT-PCR	0/3
Chilomastix spp	19.05.21	0/1	RT-PCR	0/3
Entamoeba muris	19.05.21	0/1	RT-PCR	0/3
Giardia muris	19.05.21	0/1	RT-PCR	0/3
Spironucleus muris	19.05.21	0/1	RT-PCR	0/3
Syphacia muris	19.05.21	0/1	RT-PCR	0/3
Syphacia obvelata	19.05.21	0/1	RT-PCR	0/3
Tritrichomonas muris	19.05.21	0/1	RT-PCR	0/3

**Report Reference: 21-5383, Report Printed: May 21, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.