

# Final Health Monitoring Report

DTU Veterinærinstituttet  
Building 205 B  
2800 Kongens Lyngby  
Kongens Lyngby

## Order Number

Routine

## Report Reference

21-8027

## Samples Received

November 09, 2021

## Report Date

November 10, 2021

Quantity	Sample Details	Species	Profile	Sample Type
1	2479 (3.1)	Mouse	375M (ENV)	Swab/Filter
1	2480 (3.2)	Mouse	375M (ENV)	Swab/Filter
1	2481 (1913)	Mouse	375M (ENV)	Swab/Filter
1	2482 (1.1)	Mouse	375M (ENV)	Swab/Filter
1	2483 (2.1)	Mouse	375M (ENV)	Swab/Filter
1	2486 (2.2)	Mouse	375M (ENV)	Swab/Filter
1	2484 (A) - Pooled	Rat	143R (NSP)	Samples
1	2485 (B) - Pooled	Rat	143R (NSP)	Samples

### 2479 (3.1) - 375M (ENV)

Sample negative for the agents tested

### 2480 (3.2) - 375M (ENV)

Sample negative for the agents tested

### 2481 (1913) - 375M (ENV)

Sample negative for the agents tested

### 2482 (1.1) - 375M (ENV)

Sample negative for the agents tested

### 2483 (2.1) - 375M (ENV)

Sample negative for the agents tested

### 2486 (2.2) - 375M (ENV)

Sample negative for the agents tested

## Report Reference: 21-8027

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report

2484 (A) - 143R (NSP)

Sample positive for *Pasteurella pneumotropica*\*

Sample positive for *Chilomastix spp*

2485 (B) - 143R (NSP)

Sample positive for *Pasteurella pneumotropica*\*

Sample positive for *Chilomastix spp*

*\*Pasteurella pneumotropica positive result has been identified in Rodentibacter heylii biotype*

**Report Reference: 21-8027**

All testing is performed by Envigo using standard operating procedures.  
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

**ENVIGO**

# Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2479		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/4
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/4
Minute virus of mice	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/4
Mouse hepatitis virus	09.11.21	0/1	RT-PCR	0/4
Mouse Norovirus	09.11.21	0/1	RT-PCR	0/4
Mouse parvovirus	09.11.21	0/1	RT-PCR	0/4
Mouse rotavirus (EDIM)	09.11.21	0/1	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/4
Sendai virus	09.11.21	0/1	RT-PCR	0/4
Theiler's murine encephalomyelitis virus	09.11.21	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group B</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group C</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group G</i>	09.11.21	0/1	RT-PCR	0/4
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/4
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/4
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	09.11.21	0/1	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/4
Myocoptes musculus	09.11.21	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/4
Chilomastix spp	09.11.21	0/1	RT-PCR	0/4
Entamoeba muris	09.11.21	0/1	RT-PCR	0/4
Giardia muris	09.11.21	0/1	RT-PCR	0/4
Spiroplasma muris	09.11.21	0/1	RT-PCR	0/4
Syphacia muris	09.11.21	0/1	RT-PCR	0/4
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/4
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/4

Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

**ENVIGO**

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterinærinstituttet	2480	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/4
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/4
Minute virus of mice	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/4
Mouse hepatitis virus	09.11.21	0/1	RT-PCR	0/4
Mouse Norovirus	09.11.21	0/1	RT-PCR	0/4
Mouse parvovirus	09.11.21	0/1	RT-PCR	0/4
Mouse rotavirus (EDIM)	09.11.21	0/1	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/4
Sendai virus	09.11.21	0/1	RT-PCR	0/4
Theiler's murine encephalomyelitis virus	09.11.21	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group B</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group C</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group G</i>	09.11.21	0/1	RT-PCR	0/4
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/4
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/4
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	09.11.21	0/1	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/4
Myocoptes musculus	09.11.21	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/4
Chilomastix spp	09.11.21	0/1	RT-PCR	0/4
Entamoeba muris	09.11.21	0/1	RT-PCR	0/4
Giardia muris	09.11.21	0/1	RT-PCR	0/4
Spironucleus muris	09.11.21	0/1	RT-PCR	0/4
Syphacia muris	09.11.21	0/1	RT-PCR	0/4
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/4
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/4

**Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterinærinstituttet	2481	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/4
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/4
Minute virus of mice	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/4
Mouse hepatitis virus	09.11.21	0/1	RT-PCR	0/4
Mouse Norovirus	09.11.21	0/1	RT-PCR	0/4
Mouse parvovirus	09.11.21	0/1	RT-PCR	0/4
Mouse rotavirus (EDIM)	09.11.21	0/1	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/4
Sendai virus	09.11.21	0/1	RT-PCR	0/4
Theiler's murine encephalomyelitis virus	09.11.21	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group B</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group C</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group G</i>	09.11.21	0/1	RT-PCR	0/4
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/4
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/4
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	09.11.21	0/1	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/4
Myocoptes musculus	09.11.21	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/4
Chilomastix spp	09.11.21	0/1	RT-PCR	0/4
Entamoeba muris	09.11.21	0/1	RT-PCR	0/4
Giardia muris	09.11.21	0/1	RT-PCR	0/4
Spiroplasma muris	09.11.21	0/1	RT-PCR	0/4
Syphacia muris	09.11.21	0/1	RT-PCR	0/4
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/4
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/4

Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2482		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/4
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/4
Minute virus of mice	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/4
Mouse hepatitis virus	09.11.21	0/1	RT-PCR	0/4
Mouse Norovirus	09.11.21	0/1	RT-PCR	0/4
Mouse parvovirus	09.11.21	0/1	RT-PCR	0/4
Mouse rotavirus (EDIM)	09.11.21	0/1	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/4
Sendai virus	09.11.21	0/1	RT-PCR	0/4
Theiler's murine encephalomyelitis virus	09.11.21	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group B</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group C</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group G</i>	09.11.21	0/1	RT-PCR	0/4
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/4
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/4
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	09.11.21	0/1	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/4
Myocoptes musculus	09.11.21	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/4
Chilomastix spp	09.11.21	0/1	RT-PCR	0/4
Entamoeba muris	09.11.21	0/1	RT-PCR	0/4
Giardia muris	09.11.21	0/1	RT-PCR	0/4
Spiroplasma muris	09.11.21	0/1	RT-PCR	0/4
Syphacia muris	09.11.21	0/1	RT-PCR	0/4
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/4
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/4

Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

**ENVIGO**

# Health Monitoring Report

Facility	Barrier	Species		
DTU Veterinærinstituttet	2483	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/4
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/4
Minute virus of mice	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/4
Mouse hepatitis virus	09.11.21	0/1	RT-PCR	0/4
Mouse Norovirus	09.11.21	0/1	RT-PCR	0/4
Mouse parvovirus	09.11.21	0/1	RT-PCR	0/4
Mouse rotavirus (EDIM)	09.11.21	0/1	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/4
Sendai virus	09.11.21	0/1	RT-PCR	0/4
Theiler's murine encephalomyelitis virus	09.11.21	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group B</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group C</i>	09.11.21	0/1	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group G</i>	09.11.21	0/1	RT-PCR	0/4
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/4
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/4
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	09.11.21	0/1	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/4
Myocoptes musculus	09.11.21	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/4
Chilomastix spp	09.11.21	0/1	RT-PCR	0/4
Entamoeba muris	09.11.21	0/1	RT-PCR	0/4
Giardia muris	09.11.21	0/1	RT-PCR	0/4
Spiroplasma muris	09.11.21	0/1	RT-PCR	0/4
Syphacia muris	09.11.21	0/1	RT-PCR	0/4
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/4
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/4

**Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

## Health Monitoring Report

Facility	Barrier	Species		
DTU Veterinærinstituttet	2486	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/2
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/2
Minute virus of mice	09.11.21	0/1	RT-PCR	0/2
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/2
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/2
Mouse hepatitis virus	09.11.21	0/1	RT-PCR	0/2
Mouse Norovirus	09.11.21	0/1	RT-PCR	0/2
Mouse parvovirus	09.11.21	0/1	RT-PCR	0/2
Mouse rotavirus (EDIM)	09.11.21	0/1	RT-PCR	0/2
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/2
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/2
Sendai virus	09.11.21	0/1	RT-PCR	0/2
Theiler's murine encephalomyelitis virus	09.11.21	0/1	RT-PCR	0/2
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	09.11.21	0/1	RT-PCR	0/2
<i>Beta-haemolytic Streptococci Group B</i>	09.11.21	0/1	RT-PCR	0/2
<i>Beta-haemolytic Streptococci Group C</i>	09.11.21	0/1	RT-PCR	0/2
<i>Beta-haemolytic Streptococci Group G</i>	09.11.21	0/1	RT-PCR	0/2
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/2
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/2
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/2
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/2
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/2
<i>Pasteurella pneumotropica</i>	09.11.21	0/1	RT-PCR	0/2
<i>Pasteurella pneumotropica (Jawetz &amp; Heyl)</i>	09.11.21	0/1	RT-PCR	0/2
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/2
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/2
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/2
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/2
Myocoptes musculus	09.11.21	0/1	RT-PCR	0/2
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/2
Chilomastix spp	09.11.21	0/1	RT-PCR	0/2
Entamoeba muris	09.11.21	0/1	RT-PCR	0/2
Giardia muris	09.11.21	0/1	RT-PCR	0/2
Spiroplasma muris	09.11.21	0/1	RT-PCR	0/2
Syphacia muris	09.11.21	0/1	RT-PCR	0/2
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/2
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/2

Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: February 08, 2021

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.



**ENVIGO**

# Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2484		Rat	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	09.11.21	0/1	RT-PCR	0/4
Kilham rat virus	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/4
Rat minute virus	09.11.21	0/1	RT-PCR	0/4
Rat parvovirus	09.11.21	0/1	RT-PCR	0/4
Rat Theilovirus (RTV)	09.11.21	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/4
Sendai virus	09.11.21	0/1	RT-PCR	0/4
Sialodacryoadenitis virus	09.11.21	0/1	RT-PCR	0/4
Toolan's H-1	09.11.21	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	09.11.21	0/1	RT-PCR	0/4
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	09.11.21	1/1	RT-PCR	4/4
<i>Pneumocystis carinii</i>	09.11.21	0/1	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group A</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group B</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group C</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group G</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/4
Mycoptes musculus	09.11.21	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/4
Chilomastix spp	09.11.21	1/1	RT-PCR	1/4
Entamoeba muris	09.11.21	0/1	RT-PCR	0/4
Giardia muris	09.11.21	0/1	RT-PCR	0/4
Spironucleus muris	09.11.21	0/1	RT-PCR	0/4
Syphacia muris	09.11.21	0/1	RT-PCR	0/4
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/4
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/4

**Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: June 30, 2020**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)



ENVIGO

# Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2485		Rat	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	09.11.21	0/1	RT-PCR	0/4
Kilham rat virus	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/4
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/4
Rat minute virus	09.11.21	0/1	RT-PCR	0/4
Rat parvovirus	09.11.21	0/1	RT-PCR	0/4
Rat Theilovirus (RTV)	09.11.21	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/4
Sendai virus	09.11.21	0/1	RT-PCR	0/4
Sialodacryoadenitis virus	09.11.21	0/1	RT-PCR	0/4
Toolan's H-1	09.11.21	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	09.11.21	0/1	RT-PCR	0/4
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	09.11.21	1/1	RT-PCR	4/4
<i>Pneumocystis carinii</i>	09.11.21	0/1	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/4
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group A</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group B</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group C</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group G</i>	09.11.21	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	09.11.21	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	09.11.21	0/1	RT-PCR	0/4
Mycoptes musculus	09.11.21	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	09.11.21	0/1	RT-PCR	0/4
Chilomastix spp	09.11.21	1/1	RT-PCR	1/4
Entamoeba muris	09.11.21	0/1	RT-PCR	0/4
Giardia muris	09.11.21	0/1	RT-PCR	0/4
Spironucleus muris	09.11.21	0/1	RT-PCR	0/4
Syphacia muris	09.11.21	0/1	RT-PCR	0/4
Syphacia obvelata	09.11.21	0/1	RT-PCR	0/4
Tritrichomonas muris	09.11.21	0/1	RT-PCR	0/4

Report Reference: 21-8027, Report Printed: November 10, 2021, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com