

Final Health Monitoring Report

DTU Veterinærinstituttet
Building 205 B
2800 Kongens Lyngby
Kongens Lyngby

Order Number

Routine

Report Reference

22-0068

Samples Received

March 23, 2022

Report Date

March 25, 2022

Quantity	Sample Details	Species	Profile	Sample Type
2	2480 (3.2)	Mouse	374M (ENV)	Swab/Filter
2	2481 (1911.1)	Mouse	374M (ENV)	Swab/Filter
2	2482 (1.1)	Mouse	374M (ENV)	Swab/Filter
2	2483 (2.1)	Mouse	374M (ENV)	Swab/Filter
2	2486 (2.2)	Mouse	374M (ENV)	Swab/Filter
1	2484 (A) - Pooled	Rat	142R RT-PCR	Samples
1	2485 (B) - Pooled	Rat	142R RT-PCR	Samples

2480 (3.2) - 374M (ENV)

Samples negative for the agents tested

2481 (1911.1) - 374M (ENV)

Samples negative for the agents tested

2482 (1.1) - 374M (ENV)

Samples negative for the agents tested

2483 (2.1) - 374M (ENV)

Samples negative for the agents tested

2486 (2.2) - 374M (ENV)

Samples negative for the agents tested

2484 (A) - 142R RT-PCR

Sample positive for *Pasteurella pneumotropica**

Report Reference: 22-0068

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report

2485 (B) - 142R RT-PCR

Sample positive for *Pasteurella pneumotropica**

**Pasteurella pneumotropica positive result has been identified in Rodentibacter heylii biotype*

Report Reference: 22-0068

All testing is performed by Envigo using standard operating procedures.
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2480		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/3
Minute virus of mice	23.03.22	0/2	RT-PCR	0/5
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	23.03.22	0/2	RT-PCR	0/5
Mouse Norovirus	23.03.22	0/2	RT-PCR	0/5
Mouse parvovirus	23.03.22	0/2	RT-PCR	0/5
Mouse rotavirus (EDIM)	23.03.22	0/2	RT-PCR	0/5
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/3
Sendai virus	09.11.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	23.03.22	0/2	RT-PCR	0/5
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group B</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group C</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group G</i>	23.03.22	0/2	RT-PCR	0/5
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	23.03.22	0/2	RT-PCR	0/5
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	23.03.22	0/2	RT-PCR	0/5
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	23.03.22	0/2	RT-PCR	0/5
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	23.03.22	0/2	RT-PCR	0/5
Ectoparasites				
Myobia/Radfordia	23.03.22	0/2	RT-PCR	0/5
Mycoptes musculus	23.03.22	0/2	RT-PCR	0/5
Endoparasites				
Aspiculuris tetraptera	23.03.22	0/2	RT-PCR	0/5
Chilomastix spp	23.03.22	0/2	RT-PCR	0/5
Entamoeba muris	23.03.22	0/2	RT-PCR	0/5
Giardia muris	23.03.22	0/2	RT-PCR	0/5
Spiroplasma muris	23.03.22	0/2	RT-PCR	0/5
Syphacia muris	23.03.22	0/2	RT-PCR	0/5
Syphacia obvelata	23.03.22	0/2	RT-PCR	0/5
Trichostrongylus axei	23.03.22	0/2	RT-PCR	0/5

Report Reference: 22-0068, Report Printed: March 25, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Health Monitoring Report

Facility	Barrier	Species		
DTU Veterinærinstituttet	2481	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/3
Minute virus of mice	23.03.22	0/2	RT-PCR	0/5
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	23.03.22	0/2	RT-PCR	0/5
Mouse Norovirus	23.03.22	0/2	RT-PCR	0/5
Mouse parvovirus	23.03.22	0/2	RT-PCR	0/5
Mouse rotavirus (EDIM)	23.03.22	0/2	RT-PCR	0/5
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/3
Sendai virus	09.11.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	23.03.22	0/2	RT-PCR	0/5
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group B</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group C</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group G</i>	23.03.22	0/2	RT-PCR	0/5
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	23.03.22	0/2	RT-PCR	0/5
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	23.03.22	0/2	RT-PCR	0/5
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	23.03.22	0/2	RT-PCR	0/5
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	23.03.22	0/2	RT-PCR	0/5
Ectoparasites				
Myobia/Radfordia	23.03.22	0/2	RT-PCR	0/5
Mycoptes musculus	23.03.22	0/2	RT-PCR	0/5
Endoparasites				
Aspiculuris tetraptera	23.03.22	0/2	RT-PCR	0/5
Chilomastix spp	23.03.22	0/2	RT-PCR	0/5
Entamoeba muris	23.03.22	0/2	RT-PCR	0/5
Giardia muris	23.03.22	0/2	RT-PCR	0/5
Spiroplasma muris	23.03.22	0/2	RT-PCR	0/5
Syphacia muris	23.03.22	0/2	RT-PCR	0/5
Syphacia obvelata	23.03.22	0/2	RT-PCR	0/5
Trichostrongylus axei	23.03.22	0/2	RT-PCR	0/5

Report Reference: 22-0068, Report Printed: March 25, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2482		Mouse	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/3
Minute virus of mice	23.03.22	0/2	RT-PCR	0/5
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	23.03.22	0/2	RT-PCR	0/5
Mouse Norovirus	23.03.22	0/2	RT-PCR	0/5
Mouse parvovirus	23.03.22	0/2	RT-PCR	0/5
Mouse rotavirus (EDIM)	23.03.22	0/2	RT-PCR	0/5
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/3
Sendai virus	09.11.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	23.03.22	0/2	RT-PCR	0/5
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group B</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group C</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group G</i>	23.03.22	0/2	RT-PCR	0/5
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	23.03.22	0/2	RT-PCR	0/5
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	23.03.22	0/2	RT-PCR	0/5
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	23.03.22	0/2	RT-PCR	0/5
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	23.03.22	0/2	RT-PCR	0/5
Ectoparasites				
Myobia/Radfordia	23.03.22	0/2	RT-PCR	0/5
Mycoptes musculus	23.03.22	0/2	RT-PCR	0/5
Endoparasites				
Aspiculuris tetraptera	23.03.22	0/2	RT-PCR	0/5
Chilomastix spp	23.03.22	0/2	RT-PCR	0/5
Entamoeba muris	23.03.22	0/2	RT-PCR	0/5
Giardia muris	23.03.22	0/2	RT-PCR	0/5
Spiroplasma muris	23.03.22	0/2	RT-PCR	0/5
Syphacia muris	23.03.22	0/2	RT-PCR	0/5
Syphacia obvelata	23.03.22	0/2	RT-PCR	0/5
Trichostrongylus axei	23.03.22	0/2	RT-PCR	0/5

Report Reference: 22-0068, Report Printed: March 25, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.



ENVIGO

Health Monitoring Report

Facility	Barrier	Species		
DTU Veterinærinstituttet	2483	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/3
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/3
Minute virus of mice	23.03.22	0/2	RT-PCR	0/5
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/3
Mouse hepatitis virus	23.03.22	0/2	RT-PCR	0/5
Mouse Norovirus	23.03.22	0/2	RT-PCR	0/5
Mouse parvovirus	23.03.22	0/2	RT-PCR	0/5
Mouse rotavirus (EDIM)	23.03.22	0/2	RT-PCR	0/5
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/3
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/3
Sendai virus	09.11.21	0/1	RT-PCR	0/3
Theiler's murine encephalomyelitis virus	23.03.22	0/2	RT-PCR	0/5
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group B</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group C</i>	23.03.22	0/2	RT-PCR	0/5
<i>Beta-haemolytic Streptococci Group G</i>	23.03.22	0/2	RT-PCR	0/5
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/3
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/3
<i>Helicobacter</i> spp	23.03.22	0/2	RT-PCR	0/5
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Pasteurella pneumotropica</i>	23.03.22	0/2	RT-PCR	0/5
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	23.03.22	0/2	RT-PCR	0/5
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Streptococcus pneumoniae</i>	23.03.22	0/2	RT-PCR	0/5
Ectoparasites				
Myobia/Radfordia	23.03.22	0/2	RT-PCR	0/5
Myocoptes musculus	23.03.22	0/2	RT-PCR	0/5
Endoparasites				
Aspiculuris tetraptera	23.03.22	0/2	RT-PCR	0/5
Chilomastix spp	23.03.22	0/2	RT-PCR	0/5
Entamoeba muris	23.03.22	0/2	RT-PCR	0/5
Giardia muris	23.03.22	0/2	RT-PCR	0/5
Spironucleus muris	23.03.22	0/2	RT-PCR	0/5
Syphacia muris	23.03.22	0/2	RT-PCR	0/5
Syphacia obvelata	23.03.22	0/2	RT-PCR	0/5
Tritrichomonas muris	23.03.22	0/2	RT-PCR	0/5

Report Reference: 22-0068, Report Printed: March 25, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report

Facility	Barrier	Species		
DTU Veterinærinstituttet	2486	Mouse		
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Ectromelia virus	09.11.21	0/1	RT-PCR	0/2
Lymphocytic choriomeningitis virus	09.11.21	0/1	RT-PCR	0/2
Minute virus of mice	23.03.22	0/2	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/2
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/2
Mouse hepatitis virus	23.03.22	0/2	RT-PCR	0/4
Mouse Norovirus	23.03.22	0/2	RT-PCR	0/4
Mouse parvovirus	23.03.22	0/2	RT-PCR	0/4
Mouse rotavirus (EDIM)	23.03.22	0/2	RT-PCR	0/4
Pneumonia virus of mice	09.11.21	0/1	RT-PCR	0/2
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/2
Sendai virus	09.11.21	0/1	RT-PCR	0/2
Theiler's murine encephalomyelitis virus	23.03.22	0/2	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
<i>Beta-haemolytic Streptococci Group A</i>	23.03.22	0/2	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group B</i>	23.03.22	0/2	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group C</i>	23.03.22	0/2	RT-PCR	0/4
<i>Beta-haemolytic Streptococci Group G</i>	23.03.22	0/2	RT-PCR	0/4
<i>Citrobacter rodentium</i>	09.11.21	0/1	RT-PCR	0/2
<i>Clostridium piliforme</i>	09.11.21	0/1	RT-PCR	0/2
<i>Corynebacterium kutscheri</i>	09.11.21	0/1	RT-PCR	0/2
<i>Helicobacter</i> spp	23.03.22	0/2	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	09.11.21	0/1	RT-PCR	0/2
<i>Pasteurella pneumotropica</i>	23.03.22	0/2	RT-PCR	0/4
<i>Pasteurella pneumotropica (Jawetz & Heyl)</i>	23.03.22	0/2	RT-PCR	0/4
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/2
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/2
<i>Streptococcus pneumoniae</i>	23.03.22	0/2	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	23.03.22	0/2	RT-PCR	0/4
Mycoptes musculus	23.03.22	0/2	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	23.03.22	0/2	RT-PCR	0/4
Chilomastix spp	23.03.22	0/2	RT-PCR	0/4
Entamoeba muris	23.03.22	0/2	RT-PCR	0/4
Giardia muris	23.03.22	0/2	RT-PCR	0/4
Spiroplasma muris	23.03.22	0/2	RT-PCR	0/4
Syphacia muris	23.03.22	0/2	RT-PCR	0/4
Syphacia obvelata	23.03.22	0/2	RT-PCR	0/4
Trichostrongylus axei	23.03.22	0/2	RT-PCR	0/4

Report Reference: 22-0068, Report Printed: March 25, 2022, Barrier Populated: February 08, 2021

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

**ENVIGO**

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2484		Rat	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	09.11.21	0/1	RT-PCR	0/3
Kilham rat virus	23.03.22	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	23.03.22	0/1	RT-PCR	0/4
Rat minute virus	23.03.22	0/1	RT-PCR	0/4
Rat parvovirus	23.03.22	0/1	RT-PCR	0/4
Rat Theilovirus (RTV)	23.03.22	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/3
Sendai virus	09.11.21	0/1	RT-PCR	0/3
Sialodacryoadenitis virus	23.03.22	0/1	RT-PCR	0/4
Toolan's H-1	23.03.22	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	09.11.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	23.03.22	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	23.03.22	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	23.03.22	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	23.03.22	1/1	RT-PCR	4/4
<i>Pneumocystis carinii</i>	09.11.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group A</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group B</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group C</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group G</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	23.03.22	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	23.03.22	0/1	RT-PCR	0/4
Mycoptes musculus	23.03.22	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	23.03.22	0/1	RT-PCR	0/4
Chilomastix spp	23.03.22	0/1	RT-PCR	1/4
Entamoeba muris	23.03.22	0/1	RT-PCR	0/4
Giardia muris	23.03.22	0/1	RT-PCR	0/4
Spironucleus muris	23.03.22	0/1	RT-PCR	0/4
Syphacia muris	23.03.22	0/1	RT-PCR	0/4
Syphacia obvelata	23.03.22	0/1	RT-PCR	0/4
Tritrichomonas muris	23.03.22	0/1	RT-PCR	0/4

Report Reference: 22-0068, Report Printed: March 25, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com



ENVIGO

Health Monitoring Report

Facility	Barrier		Species	
DTU Veterinærinstituttet	2485		Rat	
Viruses	Latest Test Date	Latest Results	Test Method	Historical Results*
Hantavirus	09.11.21	0/1	RT-PCR	0/3
Kilham rat virus	23.03.22	0/1	RT-PCR	0/4
Mouse adenovirus type 1 (MAd FL)	09.11.21	0/1	RT-PCR	0/3
Mouse adenovirus type 2 (MAd K87)	09.11.21	0/1	RT-PCR	0/3
Pneumonia virus of mice	23.03.22	0/1	RT-PCR	0/4
Rat minute virus	23.03.22	0/1	RT-PCR	0/4
Rat parvovirus	23.03.22	0/1	RT-PCR	0/4
Rat Theilovirus (RTV)	23.03.22	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)	09.11.21	0/1	RT-PCR	0/3
Sendai virus	09.11.21	0/1	RT-PCR	0/3
Sialodacryoadenitis virus	23.03.22	0/1	RT-PCR	0/4
Toolan's H-1	23.03.22	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi				
CAR Bacillus	09.11.21	0/1	RT-PCR	0/3
<i>Clostridium piliforme</i>	23.03.22	0/1	RT-PCR	0/4
<i>Helicobacter</i> spp	23.03.22	0/1	RT-PCR	0/4
<i>Mycoplasma pulmonis</i>	23.03.22	0/1	RT-PCR	0/4
<i>Pasteurella pneumotropica</i>	23.03.22	1/1	RT-PCR	4/4
<i>Pneumocystis carinii</i>	09.11.21	0/1	RT-PCR	0/3
<i>Salmonella</i> spp	09.11.21	0/1	RT-PCR	0/3
<i>Streptobacillus moniliformis</i>	09.11.21	0/1	RT-PCR	0/3
<i>Streptococci Beta-haemolytic Group A</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group B</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group C</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococci Beta-haemolytic Group G</i>	23.03.22	0/1	RT-PCR	0/4
<i>Streptococcus pneumoniae</i>	23.03.22	0/1	RT-PCR	0/4
Ectoparasites				
Myobia/Radfordia	23.03.22	0/1	RT-PCR	0/4
Mycoptes musculus	23.03.22	0/1	RT-PCR	0/4
Endoparasites				
Aspiculuris tetraptera	23.03.22	0/1	RT-PCR	0/4
Chilomastix spp	23.03.22	0/1	RT-PCR	1/4
Entamoeba muris	23.03.22	0/1	RT-PCR	0/4
Giardia muris	23.03.22	0/1	RT-PCR	0/4
Spironucleus muris	23.03.22	0/1	RT-PCR	0/4
Syphacia muris	23.03.22	0/1	RT-PCR	0/4
Syphacia obvelata	23.03.22	0/1	RT-PCR	0/4
Tritrichomonas muris	23.03.22	0/1	RT-PCR	0/4

Report Reference: 22-0068, Report Printed: March 25, 2022, Barrier Populated: June 30, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com